


















**RoHS compliant**  
**Small Form Pluggable (XFP)**  
**XFP DWDM 80KM Optical Transceivers**



XFP Detail Host Board Mechanical Layout (dimensions are in mm)

**X. Regulatory Compliance**

Feature	Reference	Performance
Electrostatic discharge (ESD)	IEC/EN 61000-4-2	Compatible with standards
Electromagnetic Interference (EMI)	FCC Part 15 Class B EN 55022 Class B (CISPR 22A)	Compatible with standards
Laser Eye Safety	FDA 21CFR 1040.10, 1040.11 IEC/EN 60825-1, 2	Class 1 laser product
Component Recognition	IEC/EN 60950 , UL	Compatible with standards
ROHS	2002/95/EC	Compatible with standards
EMC	EN61000-3	Compatible with standards

DUHOLNUHVHUVHVMKVVWRPDNDFKVRUGLVERWLVXHDRISWLFEDSORXFEWRUMHULDFHLGHWLILHGDWKLVMSXEOLF  
 ZLWKRXWVDFHURGHUWRPVSURHGHVLDGRUSHUIRUPDEHSSOLEDFWLRMVKIDMHHUHCHEHDRIWKHRISWLFEDO  
 OLN SURGXFWV DUHIRUDOOXVSRHMDLDSHOLNPDNHRUHSUHVHWDWLRMRUZDUUDWVKDWVXFKDSSOLEDFW  
 VXLWDEIRUWKHMSHMLIZICWKRXWIXUWKHUWHMWHIRWPRG